5/25

DART AEROSPACE LTD	Work Order:	23201
Description: 3" Skid extrusion (no outer ridge)	Part Number:	D2600-3-120
Drawing: D2600 Rev. D1	Qty:	120 159

Step	Location	Procedure	Ву	Date	qty
1	DC	Issue Traveller	Ar	05/05/09	120
2	PG	Issue P/O: (COCC) a) Extrude as per Dwg D2600 b) Material: 6061-T6 (QQ-A-200/8) c) Minimum yield tensile strength = 35 ksi d) Minimum ultimate tensile strength = 40 ksi e) Minimum elongation = 8% f) Order at 120" long g) Bon L Canada Inc. tool # 897122 h) To be packed per DSK 066 i) Pull test to ASTM standard B221 required. j) Material certification is required	U	05-05-60	140
3	RG	Inspect for transit damage Ensure certification are attached	CL	5/09/06	159
4	QC6	Inspect dimensions per Dwg D2600 Check Pull test per Dwg D2600 for compliance page attached. Check hardness with Webster tester		05.12.21	
5	ST	Identify and Stock	0/	05·12·21	155
6	AC	Cost / part	0	6-09.14	!
7	DC	Close W/O Inspect Level 21		02/09/14	159

Rev	Date	Change	Revised By Appro		
Α	98.12.02	New Issue	DM		
В	00.01.24	Second Pull test removed	EC		
С	01.03.29	Changed part# to -120	EC		
D	02.09.10	Added DSK 066	KJ. R	12	



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	TEP PROCEDURE CHANGE B		Date	Qty	Approval Mfg / Design Mgr	Approva QC Inspector
A1_1							

	WORK ORDER NON-CONFORMANCE (NCR)									
	Description of NC		Corrective Action Section B	•	Varification	A				
STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	Approval QC Inspector			
	19									
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Corrective Action Section B Verification Section A Action Description Sign & Section C	STEP Description of NC Section A linitial Action Description Sign & Section C Design Mgr			

Part No:	PAR #:	Fault Category: N	ICR:	Yes (No) DQA:	Date: <u>26/69/14</u>
NOTE: Date & initial all entries		*		QA: N/C Closed:	Date:





	DESIGN DRAWN BY			DART AEROSPACE LTD hawkesbury, ontario, canada				
	CHECK	(ED	APPROVED	DRAWING NO. REV. D				
		KC 145		D2600 SHEET 1 OF 5				
	DATE			TITLE SCALE				
٠	98.0	08.20		EXTRUSION 1:1				
	Α		97.01.21	NEW ISSUE				
	В		97.09.09	CHANGE MATERIAL SPEC.				
	С		98.04.16	ADD D2600-3, UPDATE D2600-1 WIDTH, ADD DIE NO.				
	D		98.08.20	INCREASE MIN. UTS TO 40 KSI				

ADD PART NUMBERS & DIE NUMBERS



GENERAL NOTES

1. MATERIAL: 6061-T6 (QQ-A-200/8)

1 **G**

MINIMUM YIELD TENSILE STRENGTH = 35 ksi MINIMUM ULTIMATE TENSILE STRENGTH = 40 ksi MINIMUM ELONGATION = 8 %

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES.

01-04-17

- 2. BREAK ALL SHARP CORNERS 0.010 MAX.
- 3. NO TOOLING MARKS.
- 4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5. ALL DIMENSIONS ARE IN INCHES.

SHOP COPY RETURN TO ENGINEERING


UNCONTROLLED COPY
SUBJECT TO A COMENT
WITHOUT FOR CE


WORK ORDER

NO. 23201

























DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED	APPROVED	DRAWING NO.	REV. D
KE	4	D2600	SHEET 4 OF 5
DATE		TITLE	SCALE
98.08.20		EXTRUSION	1:1





D2600-5

MANUFACTURED WITH CARADON INDALEX DIE # MS-18871 XXX IS CUT LENGTH IN INCHES (EG. D2600-5-108" LONG)

D2600-5-108 15 108" LONE)

á

ENG, INEERING UNCONTROLLED COPY

RETURN TO

SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER


NO. <u>23201</u>





	DESIGN	DRAWN		OSPACE LTD ontario, canada
	CHECKED	APPROXED	DRAWING NO.	REV. D
	FE	93	D2600	SHEET 5 OF 5
	DATE		TITLE	SCALE
İ	98.08.20		EXTRUSION	1:1





D2600-7

MANUFACTURED WITH CARADON INDALEX DIE # MS-1
PART NUMBER IS D2600-1-XXX WHERE XXX 13 CUT LENGTH IN IN CHES

Ä

(EG. \$2600-7-125 IS 125" LONG)

SHOP COPY

RETURN TO

UNCONTROLLED GOPY SUBJECT TO AMENDMENT

JBJECT TO AMEND.....NT WITHOUT NOTICE

WORK ORDER

NO.23201

Job Costing Report

Dart Aerospace Ltd. Hawkesbury

May 06, 2005 09:55 am

Work Order No : 0023201

Department Code:
Burden Flags : NNNNNNN
WO Status : Open Project Name : D2600-3-120
Project For : WK525 Work Order Type : Main

Manufactured : Yes

Amount Req'd: 120
Amount Done: 0
Start Date: 05-05-05

Est Finish Date : 06-20-05

Act Finish Date : Drawings Reqd : No Ok for Approval :

Approval Rec'd :

Order Entry No : OE Value : 0.00

Est Mark Up : 0.000% Actual Mark Up : 0.000%

\$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Post	ed To	Post
Material Cost	:=:	0.00	0.00	0.00	0.	.00	0.00
Engineering Hours	:	0.00	0.00	0.00			
Engineering Cost	:	0.00	0.00	0.00	0.	.00	0.00
Production Hours	:	0.00	0.00	0.00			
Production Cost	:	0.00	0.00	0.00	0.	.00	0.00
Packaging Hours	:	0.00	0.00	0.00			
Packaging Cost	:	0.00	0.00	0.00	0.	.00	0.00
OverHead Hours	:	0.00	0.00	0.00			•
OverHead Cost	:	0.00	0.00	0.00	0.	.00	0.00
CNC Hours	:	0.00	0.00	0.00			
CNC	:	0.00	0.00	0.00	0.	. 0 0	0.00
Misc. Hours	:	0.00	0.00	0.00			
Misc.	:	0.00	0.00	0.00	0.	. 0 0	0.00
		=======	=======	======			
Burden	:	0.00	0.00	0.00			
		=======	========	======			
Total Cost	:	0.00	0.00	0.00			
Mark up	:	0.000	0.000				
Selling Cost	:	0.00	0.00				

Labour Hrs/Amount Done : 0.00
Profits/(Loss) : 0.00 Actual 0.00 0.00

220 2075 Spinster. American S MANIFEST DATE/DATE D'EXPÉDITION BON L CANADA INC THE WILLIAM L. BONNELL COMPANY, INC. CAPITAL PRODUCTS CORPORATION 1850 CLEMENTS ROAD **BON L CAMPO LTD PARTNERSHIP** 09-04-05 PICKERING MANIFEST NUMBER/N° D'EXPEDITION ON L1W 3R8 REFER TO THESE NUMBERS ON ACCT# 00046024 464654 ALL CORRESPONDENCE. RÉFÉREZ-VOUS À CES SALES ORDER NUMBER/N° DE COMM. SHIP TO/EXPÉDIÉ À SOLD TO/VENDU À NUMÉROS POUR TOUTE CORRESPONDANCE. DART AEROSPACE LTD. DART AEROSPACE LTD. 52195 1270 ABERDEEN ST. 1270 ABERDEEN ST. *0/P* CREDIT REP SALES REP REPOPUTATIONN **REP. DES VENTES** HAWKESBURY HAWKESBURY ON (6A 1K7 CN K6A 1K7 CN 770-252-0161 LOC/USINE TRAILER NO./N° DE REMORQUE SALESMAN/VENDEUR FIELD SALES REP CUST SERVICE REP REP. RÉGIONAL DES VENTES PHONE 613-632-3336 PHONE 613-632-3336 PIC 66141 52305 JSTOMER ID/N° DU CLIENT ORDER DATE CUST PO NO AND DE COMM. DU GUENT BILL OF LADING NUMBER/N° DE CONNAISSEMENT JOB/PROJET 450-435-6551 905-427-2227 05/11/0 2008021 46024 00276456 ALLOY & TEMPER ALLIAGE & TREMPE EINISH DESCRIPTION MFG. PART NUMBER PREVIOUS DESC. DE LA FINITION TEM. NO. ITEM THIS SHIPMENT/CETTE EXPEDITION N° DE PIÈCE DU FOURNISSEUR ORDER QUANTITY QTE COMMANDÉE UNITÉ SHIPPED OTY LENGTH UNIT FABRICATION DESCRIPTION QUANTITY DUE NO. PKGS LONGUEUR CUSTOMER PART NUMBER NUMERO DE PIÈCE DU CLIENT QUANTITÉ PRÉVI EXPÉDIÉE GROSS WT. NET WT CUTTING TOLERANCE TOLERANCE DE COUPE SHIPPING TOLERANCE TOLERANCE D'EXPEDITION POIDS BRUT POIDS NET PAQUETS 01 KGDAA-897122-1 6061 **7**T6 MILL 1137 1119 KG M 0 D2600-3-120 120" CERTIFICATE OF COMP 484 M 140 PC 0 +3/16 (+010-010,0154-0126) 159 PC -0" DETAIL: LOT/TICKET 52195010 / 144912 379 373 53 P(52195010 / 144913 379 373 53 P 52195010 / 144914 379 373 53 P(05-12-21 1137 1119 KG RM NO. B1065 REV. C 484 O RETURN MATERIALS WILL BE ACCEPTED FOR CREDIT WITHOUT PERMISSION JCUN RETOUR DE MATÉRIEL NE SERA ACCEPTÉ POUR CREDIT SANS AUTORISATION CUSTOMER PAGE 1 159 PC CLIENT

			Acres 1
	*		
		€	,
. S.			1



BON L CANADA INC

1850 CLEMENTS ROAD PICKERING, ON L1W 3R8

CERTIFICATE OF COMPLIANCE

Cert Onte	Cert No	Sales Order	Page
09/04/05	126894	52195	1
_Carst=PO >	B/L No	Lot	Date
2008021	00276456	52195010	9/04/05

Sold To 4602

DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

Item No	Part No	Item Description		Cust Part
1.000	DAA-897122-1	120" Mill 6061 T6)	D2600-3-120
Gross Weight	1137 KG	GS		
Net City	1,119 KG	i 159 PC	485 M	3 PKG

AMS-QQ-A-200/8 & ASTM B221-00

Macha	nical	Toctc										···
Test	lei	nsile		Y	ield						Be	nd/
No.	MPA	/ KSI		MΡΔ	/ KSI	2	Elonga	tion	Condi	uctivi		ift HR-E
	,	,		, ., , ,	, 1001	701	Liongu	CIOII	Condi	uccivi	Cy Di	HIC HIX-L
						<i>J.</i>						
1	326.0	1/47.	3):	304.1	//44.1)		12.5			.0	98
2	332.A	. (48.)	2/ :	308.0	/ 44.Z	/		13.3			.0	98
	cal Lir			,				10.0			. 0	50
01101111			CLI	. AAA	<u></u>	00	741					
	SI	FE	CU	MN	MG	CR	ZN	11	ZR		OTHER	
MIN:	.400	.000	.150	.000	.800	.040	.000	.000	.000	FΔ·	.050	1
MAX:	-											//
MAX:	.800	. 700	. 400	.150	1.200	. 350	. 250	. 150	.050	TOT:	. 150	

This will certify that the material described herein has been inspected and tested in accordance with Bon L Canada's standard sampling and testing procedures or in accordance with the requirements of any specifications forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgement form. No other warranties are applicable.

Conchita Ko, QA Manager Signed for Bon L Canada

Carlitato.

CERT

				J.,	•
		3.			220
				·	
		46		*	
	· ·			9	
) ;				
The state of the s			÷		
o la	1 2 2				e e
r		*	•		•